

## CONTENTS

|   |    |
|---|----|
| I. INTRODUCTION   | 9  |
| I.1. Context of prehistoric lithic research in Central Europe                                       | 10 |
| I.1.1. Second half of the 19 <sup>th</sup> and the first two thirds of the 20 <sup>th</sup> century | 10 |
| I.1.2. Late 20 <sup>th</sup> and early 21 <sup>st</sup> centuries                                   | 11 |
| References  | 13 |
| I.2. Defining the research area   | 14 |
| I.3. Geomorphological characterization  | 16 |
| References  | 18 |
| I.4. Overview of geology considering potential sources of lithic raw materials                      | 18 |
| I.4.1. Bohemian Massif (Český masiv, Böhmisches Masse, Masyw czeski)                                | 18 |
| I.4.1.1. Moldanubian Region (Moldanubicum)  | 19 |
| I.4.1.2. Kutná Hora – Svatka Region   | 22 |
| I.4.1.3. Central Bohemian Region (Bohemicum)  | 23 |
| I.4.1.4. Saxothuringian Region (Saxothuringicum)  | 25 |
| I.4.1.5. Lusatian Region (Lugicum)  | 26 |
| I.4.1.6. Moravo-Silesian Region (Moravosilesicum)   | 27 |
| I.4.1.7. Limnic Upper Carboniferous and Permian   | 30 |
| I.4.1.8. Platform cover of the Bohemian Massif  | 30 |
| I.4.2. Małopolska Massif (Małopolska Highland)  | 35 |
| I.4.3. Western Carpathians  | 36 |
| I.4.3.1. Outer Western Carpathians  | 36 |
| I.4.3.2. Central Western Carpathians  | 38 |
| I.4.3.3. Inner Western Carpathians  | 39 |
| I.4.4. Eastern Alps   | 40 |
| I.4.5. Pannonian Basin System   | 41 |
| I.4.6. Fennosarmatian Platform  | 41 |
| References  | 41 |
| I.5. Applied methods  | 43 |
| I.5.1. Determination of chipped lithic artefacts  | 43 |
| I.5.2. Determination of polished stone tools and the other lithic industries                        | 45 |
| References  | 46 |
| II. RAW MATERIALS OF CHIPPED LITHIC ARTEFACTS   | 47 |
| II.1. Classification of the raw materials for chipped artefacts                                     | 48 |
| References  | 49 |
| II.2. Silicites and their sources. The terms silicite, chert, and flint                             | 49 |
| References  | 50 |
| II.2.1 Silicites of glaciogene or glacial sediments (erratic silicites, prevalently flints)         | 51 |
| References  | 54 |
| II.2.2. Silicites of Bohemia  | 55 |
| II.2.2.1. Proterozoic phthanite   | 55 |
| II.2.2.2. Ordovician spongolite   | 57 |
| II.2.2.3. Silurian silicified shale to chert of the Liteň Formation                                 | 57 |
| II.2.2.4. Silurian cherts of the Kopaniny and Přídol Formations                                     | 59 |
| II.2.2.5. Devonian cherts of the Radotín and Kotýz limestones                                       | 59 |
| II.2.2.6. Devonian cherts of the Dvorce-Prokop limestone  | 60 |
| II.2.2.7. Devonian cherts of the Zlíchov limestone  | 60 |
| II.2.2.8. Devonian cherts of the Třebotov limestone   | 60 |
| II.2.2.9. Devonian radiolarites of the Choteč limestone (cherts of the Bohemian Karst type)         | 61 |
| II.2.2.10. Upper Carboniferous and Permian limnic silicites (cherts) of the Krkonoše Piedmont Basin | 62 |
| II.2.2.11. Permian limnic silicites (cherts) of the Intra-Sudetic Basin                             | 63 |
| II.2.2.12. Upper Carboniferous and Permian limnic silicites (cherts) from Líně near Plzeň           | 63 |
| II.2.2.13. Bohemian Jurassic cherts   | 64 |
| II.2.2.14. Cretaceous spongolites of eastern Bohemia (type Ústí nad Orlicí)                         | 64 |
| II.2.2.15. Cretaceous spongolites of the Intra-Sudetic Basin  | 65 |
| II.2.2.16. Bohemian Tertiary limnic silicites   | 65 |
| II.2.2.17. Layered chert of the Putim type  | 65 |

|   |            |
|---|------------|
| References .....  | 66         |
| <b>II.2.3. Silicites of Moravia and Czech Silesia</b>   |            |
| <b>Silicites of the Bohemian Massif in Moravia and Czech Silesia .....</b>  | <b>68</b>  |
| <b>II.2.3.1. Devonian to Lower Carboniferous radiolarites of the Ponikev Formation .....</b>  | <b>68</b>  |
| <b>II.2.3.2. Devonian to Lower Carboniferous cherts of the Hády-Říčka limestone .....</b>   | <b>69</b>  |
| <b>II.2.3.3. Moravian Jurassic cherts.....</b>  | <b>70</b>  |
| <b>II.2.3.4. Jurassic cherts of the Stránská skála Hill (Brno-Slatina) .....</b>  | <b>71</b>  |
| <b>II.2.3.5. Jurassic cherts of the Bílá hora Hill (Brno-Židenice).....</b>   | <b>75</b>  |
| <b>II.2.3.6. Jurassic cherts of the Švédské valy Hill (Brno-Slatina).....</b>   | <b>75</b>  |
| <b>II.2.3.7. Jurassic cherts of the Hády Plateau (Brno-Maloměřice) .....</b>  | <b>76</b>  |
| <b>II.2.3.8. Jurassic chert from Olomučany (Moravian Karst) .....</b>   | <b>77</b>  |
| <b>II.2.3.9. Jurassic cherts of the Rudice Formation (Moravian Karst).....</b>  | <b>78</b>  |
| <b>II.2.3.10. Cherts of the Krumlovský les type (SW Moravia) .....</b>  | <b>79</b>  |
| <b>II.2.3.11. Cretaceous spongolites of the West-Moravian origin and their secondary southward occurrences .....</b>                              | <b>82</b>  |
| <b>II.2.3.12. Cretaceous spongolites of the Osoblaha (Czech Silesia) and Głubczyce (Polish Silesia) regions ..</b>                                | <b>84</b>  |
| <b>Silicites of the Western Carpathians in Moravia and Czech Silesia.....</b>   | <b>84</b>  |
| <b>II.2.3.13. Jurassic cherts of the Pavlovské vrchy Highland .....</b>   | <b>84</b>  |
| <b>II.2.3.14. Cherts of Mesozoic limestones at the head of the Magura Group flysch nappes .....</b>   | <b>85</b>  |
| <b>II.2.3.15. Baška chert .....</b>   | <b>85</b>  |
| <b>II.2.3.16. Menilite cherts .....</b>   | <b>86</b>  |
| <b>II.2.3.17. Cherts of the Krumlovský les type and other cherts in the Vienna Basin (South Moravia) .....</b>                                    | <b>87</b>  |
| <b>II.2.3.18. Chert of the Boršice type in the Vienna Basin .....</b>   | <b>88</b>  |
| <b>II.2.3.19. Révaite (opalized silty claystone to chert) .....</b>   | <b>88</b>  |
| <b>II.2.3.20. Chert of the Troubky-Zdislavice type (the Carpathian Foredeep) .....</b>  | <b>89</b>  |
| <b>II.2.3.21. Jurassic radiolarites in Moravia .....</b>  | <b>90</b>  |
| References .....  | 91         |
| <b>II.2.4. Silicites of Lower and Upper Austria .....</b>   | <b>94</b>  |
| <b>II.2.4.1. Radiolarites from Wien-Mauer .....</b>   | <b>94</b>  |
| <b>II.2.4.2. Radiolarites and cherts from gravels of the Danube and its predecessors.....</b>   | <b>95</b>  |
| <b>II.2.4.3. Menilite cherts of the Zellerndorf Formation (the Carpathian Foredeep).....</b>  | <b>95</b>  |
| References.....   | 96         |
| <b>II.2.5. Silicites of Thuringia, Saxony and Bavaria (Germany) .....</b>   | <b>96</b>  |
| <b>II.2.5.1. Palaeozoic (prevalently Silurian) silicified shale (Kieselschiefern) .....</b>   | <b>96</b>  |
| <b>II.2.5.2. Triassic cherts (Karneol, Muschelkalkhornstein, Keuperhornstein) .....</b>   | <b>96</b>  |
| <b>II.2.5.3. Cherts of the Jurassic limestones at the Lusatian overthrust in Saxony .....</b>   | <b>97</b>  |
| <b>II.2.5.4. Jurassic cherts of the Fränkische Alb Hilly land to the west of Regensburg (the region between Donau and Altmühl) .....</b>          | <b>97</b>  |
| <b>II.2.5.5. Cherts from relics of Jurassic limestones between Regensburg and Passau (Ortenburger Kieselnieren-Kalke, Flintsbach-Hardt) .....</b> | <b>98</b>  |
| References.....   | 99         |
| <b>II.2.6. Silicites of Poland .....</b>  | <b>100</b> |
| <b>II.2.6.1. Ordovician chalcedony cherts, Góry Świętokrzyskie Mts.....</b>   | <b>100</b> |
| <b>II.2.6.2. Silurian siliceous shales with lydites (lupki krzemionkowe z litytami), Góry Kaczawskie and Góry Świętokrzyskie Mts.....</b>         | <b>100</b> |
| <b>II.2.6.3. Devonian Kostomloty chert, Góry Świętokrzyskie Mts. ....</b>   | <b>100</b> |
| <b>II.2.6.4. Devonian radiolarite of the Bardo type (rogowiec bardski in Polish) .....</b>  | <b>100</b> |
| <b>II.2.6.5. Permian limnic silicites of the Intra-Sudetic Basin .....</b>  | <b>101</b> |
| <b>II.2.6.6. Triassic cherts of the Górażdże Beds (warstwy górażdzanskie, Wyżyna Śląska, Góry Świętokrzyskie) .....</b>                           | <b>102</b> |
| <b>II.2.6.7. Silicites of the Cracow-Częstochowa Jurassic, southern part (the Cracow area) .....</b>  | <b>102</b> |
| <b>II.2.6.8. Silicites of the Cracow-Częstochowa Jurassic, central part (variety G) .....</b>   | <b>103</b> |
| <b>II.2.6.9. Silicites of the Cracow-Częstochowa Jurassic, northern part (variety Gojście) .....</b>  | <b>104</b> |
| <b>II.2.6.10. Silicites of the Opole-Groszowice type .....</b>  | <b>105</b> |
| <b>II.2.6.11. Cretaceous chert of the Wielka Wieś type, the Cracow-Częstochowa Highland (Wyżyna Krakowsko-Częstochowska) .....</b>                | <b>106</b> |
| <b>II.2.6.12. Banded silicite of the Krzemionki type (krzemień pasiasty) .....</b>  | <b>106</b> |
| <b>II.2.6.13. Chocolate silicite (chocolate flint, krzemień czekoladowy).....</b>   | <b>108</b> |
| <b>II.2.6.14. Dark Cretaceous Ożarów silicite (Ożarów flint, krzemień ożarowski) .....</b>  | <b>108</b> |

|  |     |
|--|-----|
| II.2.6.15. Spotted Świeciechów silicite (Świeciechów flint, krzemień nakrapiany, krzemień świciechowski) .....                                   | 109 |
| II.2.6.16. Silicified marls of the Opole Cretaceous .....  | 110 |
| II.2.6.17. Cretaceous opoka from Zagaje Stradowskie (Świętokrzyskie Voivodeship) .....   | 111 |
| Silicites of the Carpathians in Poland .....   | 111 |
| II.2.6.18. Jurassic radiolarites of the Pieniny Klippen Belt .....   | 111 |
| II.2.6.19. Cretaceous Mikuszowice chert (rogowiec mikuszowicki) of the Silesian Unit, Carpathian Flysch Belt .....                               | 112 |
| II.2.6.20. Palaeogene Bircza silicite (Bircza flint, krzemień z Birczy) of the Skole Unit (Carpathian Flysch Belt) .....                         | 112 |
| II.2.6.21. Palaeogene menilite chert of the Dukla Unit (Carpathian Flysch Belt) .....  | 113 |
| II.2.6.22. Palaeogene Jawornik silicified marlstone to chert of the Dukla Unit (Carpathian Flysch Belt) ..                                       | 114 |
| II.2.6.23. Palaeogene Dynów silicified marlstone of the Skole Unit (Carpathian Flysch Belt) .....  | 115 |
| References .....   | 115 |
| II.2.7. Silicites of Slovakia .....  | 118 |
| II.2.7.1. Lower Palaeozoic lydites (radiolarites) of the Gelnica Group (Gemericum) and of the Harmónia Group (Malé Karpaty Mts., Tatricum) ..... | 118 |
| II.2.7.2. Upper Carboniferous and Permian limnic silicites (geyserites) .....  | 118 |
| II.2.7.3. Triassic radiolarites of the Meliata Unit, SE Slovakia .....   | 119 |
| II.2.7.4. Triassic and Lower Jurassic cherts from the core mountains of the Tatricum .....   | 119 |
| II.2.7.5. Jurassic radiolarites .....  | 119 |
| Middle- to Upper Jurassic radiolarites of the Pieniny Klippen Belt .....   | 120 |
| Radiolarite of the Vršatské Podhradie type (NE of the Vlára Pass) .....  | 120 |
| II.2.7.6. Uppermost Jurassic to Lower Cretaceous cherts .....  | 123 |
| II.2.7.7. Palaeogene menilite cherts of the Dukla Unit (Carpathian Flysch Belt) .....  | 123 |
| II.2.7.8. Palaeogene silicified claystone to chert of the Magura Group flysch nappes (so called Ondava or brown chert) .....                     | 124 |
| II.2.7.9. Palaeogene nummulitic cherts in southern Slovakia .....  | 124 |
| II.2.7.10. Miocene limnic silicites .....  | 124 |
| References .....   | 126 |
| II.2.8. Silicites of Hungary .....   | 127 |
| II.2.8.1. Palaeozoic silicites (lydites) .....   | 128 |
| II.2.8.2. Triassic Buda chert .....  | 128 |
| II.2.8.3. Upper Triassic and Lower Jurassic cherts from the Bakony Mts., Keszthely Mts. and Balaton Highland .....                               | 129 |
| II.2.8.4. Jurassic radiolarite of the Szentgál type .....  | 129 |
| II.2.8.5. Jurassic radiolarite from Bakonycsérnye .....  | 130 |
| II.2.8.7. Jurassic radiolarites from Lábatlan and Dunaszentmiklós (Gerecse Mts.) .....   | 130 |
| II.2.8.8. Jurassic radiolarite to radiolarian chert from Tata (Gerecse Mts.) .....   | 131 |
| II.2.8.9. Upper Jurassic to Lower Cretaceous chert from Sümeg .....  | 131 |
| II.2.8.10. Cretaceous Tevel flint .....  | 132 |
| II.2.8.11. Palaeogene nummulitic cherts .....  | 132 |
| II.2.8.12. Tertiary geyserites (hydroquartzites) limnic silicites and limnic opalites (for example Miskolc, Korlát, Erdőbénye) .....             | 132 |
| References .....   | 133 |
| II.3. Silica minerals .....  | 134 |
| II.3.1. Quartz .....   | 134 |
| References .....   | 136 |
| II.3.2. Rock crystal, citrine, smoky quartz, rose quartz .....   | 136 |
| II.3.2.1. Moravia .....  | 138 |
| Sources of citrine, rock crystal and smoky quartz SE of Žďár nad Sázavou (western Moravia) ..  | 140 |
| Sources of rock crystal and smoky quartz south of Brtnice near Jihlava (western Moravia) ..  | 140 |
| Sources of smoky quartz and rock crystal in the surroundings of Bílovec (northern Moravia) ..  | 141 |
| II.3.2.2. Czech and Polish Silesia .....   | 141 |
| Source of rock crystal at Žulová-Andělské domky (Czech Silesia) .....  | 141 |
| Source of rock crystal at Jegłowa near Strzelin (Polish Silesia) .....   | 142 |
| II.3.2.3. Southern Bohemia .....   | 142 |
| II.3.2.4. Austria .....  | 143 |
| II.3.2.5. Slovakia .....   | 143 |

|   |     |
|---|-----|
| II.3.2.6. Hungary .....   | 144 |
| II.3.2.7. Significance of rock crystal, citrine and smoky quartz from the Bohemian Massif .....               | 144 |
| References .....  | 144 |
| II.3.3. Hydrothermal chalcedony and its varieties (jasper, agate) from Permian volcanic rocks .....           | 146 |
| II.3.3.1. Kozákov jasper .....  | 146 |
| II.3.3.2. Bezděčín chalcedony .....   | 147 |
| II.3.3.3. Jasper and chalcedony from the Polish part of the Intra-Sudetic Basin .....                         | 148 |
| References .....  | 148 |
| II.3.4. Opals from Tertiary volcanic rocks of the Western Carpathians .....                                   | 148 |
| II.3.4.1. Central Slovakia .....  | 148 |
| II.3.4.2. Eastern Slovakia .....  | 149 |
| II.3.4.3. Northern Hungary .....  | 150 |
| References .....  | 150 |
| II.3.5. Siliceous weathering products of serpentinites and of other metamorphic rocks .....                   | 150 |
| II.3.5.1. Western Moravia .....   | 151 |
| II.3.5.2. Lower Austria and Burgenland .....  | 153 |
| II.3.5.3. Southern Bohemia: the Křemže Basin .....  | 153 |
| II.3.5.4. Southern Bohemia: the areas of Písek, Bechyně and Strakonice .....                                  | 154 |
| II.3.5.5. North-western Bohemia .....   | 155 |
| II.3.5.6. North-western Moravia: Moravská Třebová and Boršov .....  | 155 |
| II.3.5.7. Lower Silesia .....   | 156 |
| II.3.5.8. Eastern Slovakia .....  | 156 |
| References .....  | 157 |
| II.4. Natural glasses .....   | 158 |
| II.4.1. Carpathian obsidian and perlite .....   | 160 |
| II.4.1.1. Source of obsidian in the Zemplínské vrchy Mts., SE Slovakia .....                                  | 160 |
| II.4.1.2. Source of obsidian in the Tokaj-Zemplén Mts., NE Hungary .....                                      | 161 |
| II.4.1.3. Source of obsidian and perlite in Transcarpathian Ukraine .....                                     | 161 |
| II.4.1.4. Source of perlite from the Szabó skála Rock, Hliník nad Hronom, central Slovakia .....              | 162 |
| II.4.1.5. Use of obsidian in prehistoric times of Central Europe .....  | 162 |
| II.4.2. Kozákov tachylite .....   | 163 |
| II.4.4. Moldavites .....  | 164 |
| References .....  | 169 |
| II.5. Clastic siliceous rocks .....   | 171 |
| II.5.1. Quartzites (orthoquartzites) .....  | 171 |
| II.5.1.1. Ordovician quartzites of the Barrandian .....   | 171 |
| II.5.1.2. Quartzite of the Lipnice type (southern Bohemia) .....  | 171 |
| II.5.1.3. Bečov quartzite (NW Bohemia) .....  | 173 |
| II.5.1.4. Tušimice quartzite (NW Bohemia) .....   | 174 |
| II.5.1.5. Skršín quartzite (NW Bohemia) .....   | 175 |
| II.5.1.6. Kamenná Voda quartzite (NW Bohemia) .....   | 176 |
| II.5.1.7. Profen-Zauschwitz quartzite (Saxony and Saxony-Anhalt) .....  | 176 |
| II.5.1.8. Quartzite to quartz conglomerate called sun boulder (Bohemia, Moravia, Lower Austria) .....         | 176 |
| II.5.2. Chert breccia .....   | 177 |
| References .....  | 178 |
| II.6. Other rocks .....   | 180 |
| II.6.1. Porcellanites and hornfelses .....  | 180 |
| II.6.1.1. Porcellanites from the Bohemian Cretaceous Basin .....  | 180 |
| Porcellanite from the Kunětická hora Hill near Pardubice .....  | 180 |
| II.6.1.2. Porcellanites from the Krušné hory Piedmont Basins (NW-Bohemia) .....                               | 182 |
| II.6.1.3. Porcellanites from southern Moravia .....   | 182 |
| Porcellanite from the Bučník Hill near Komňa .....  | 182 |
| Porcellanite from Medlovice near Uherské Hradiště .....   | 183 |
| II.6.1.4. Hornfelses at the contacts of the teschenite-picrite association in the Carpathian Flysch Belt. . . | 183 |
| II.6.1.5. Porcellanite from the Góra Św. Anny Hill (Polish Silesia) .....                                     | 184 |
| II.6.1.6. Hornfelses in Bohemia .....   | 184 |
| II.6.2. Fine-grained volcanic, subvolcanic and volcanoclastic rocks .....                                     | 184 |
| II.6.2.1. Permian acid subvolcanic rocks from southern Bohemia .....  | 184 |
| II.6.2.2. Permian silicified banded tuff of the Gnadstein type (Saxony) .....                                 | 185 |

|   |     |
|---|-----|
| II.6.2.3. Triassic felsitic metarhyolite (“quartz porphyry”) from the Bükk Mts. (Hungary) .....                             | 185 |
| II.6.3. Silicified corals of the Příbor-Klokočov type .....   | 186 |
| II.6.4. Silicified woods .....  | 186 |
| III. RAW MATERIALS OF POLISHED STONE TOOLS. ....  | 189 |
| References .....  | 190 |
| III.1. Metamorphic rocks .....  | 190 |
| III.1.1. Thermally metamorphosed metabasite and greenschist .....   | 190 |
| III.1.1.1. Amphibole-rich metabasite from the Jizerské hory Mts. (northern Bohemia) .....                                   | 192 |
| III.1.1.2. Metabasite from Želešice (southern Moravia) .....  | 195 |
| III.1.1.3. Greenschist from Felsőcsatár (western Hungary) .....   | 196 |
| III.1.1.4. Metabasite from the Malé Karpaty Mts. (western Slovakia) .....   | 197 |
| III.1.1.5. Greenschist from Pyszczyńska Góra Mt. (SW Poland) .....  | 198 |
| III.1.2. Amphibolites .....   | 198 |
| III.1.3. Metabasites generally .....  | 200 |
| III.1.4. Serpentinites .....  | 200 |
| III.1.4.1. Mnichov serpentinite (western Bohemia) .....   | 201 |
| III.1.4.2. Serpentinites from the Blanský les Mountains (southern Bohemia) .....  | 202 |
| III.1.4.3. Serpentinite from the Jańska Góra Hill and the Gogolów-Jordanów Massif<br>(Lower Silesia, southern Poland) ..... | 202 |
| III.1.4.4. Serpentinite from Bernstein (Burgenland, Austria) .....  | 204 |
| III.1.5. Jadeitite .....  | 204 |
| III.1.6. Nephrite .....   | 207 |
| III.1.7. Eclogite .....   | 208 |
| III.1.7.1. Eclogite from the Beigua Massif (Liguria, north-western Italy) .....   | 209 |
| III.1.8. Marbles .....  | 210 |
| III.1.8.1. Marble from the Bílý Kámen Hill near Sázava (central Bohemia) .....  | 212 |
| III.1.9. Quartz-sillimanite rocks, fibrolites (western Moravia, southern Bohemia) .....                                     | 213 |
| III.1.10. Other metamorphic rock .....  | 214 |
| References .....  | 214 |
| III.2. Igneous rocks .....  | 218 |
| III.2.1. Diorite, porphyritic microdiorite (formerly diorite porphyry) .....  | 218 |
| III.2.1.1. Massive amphibole diorite of the Brno Batholith (southern Moravia) .....   | 219 |
| III.2.1.2. Porphyritic microdiorite (formerly diorite porphyry) from the Brno Batholith<br>(southern Moravia) .....         | 221 |
| III.2.2. Andesite and palaeoandesite .....  | 221 |
| III.2.3. Melaphyre (Permo-Carboniferous basaltic palaeoandesite) .....  | 223 |
| III.2.4. Gabbro .....   | 223 |
| III.2.5. Basaltic rocks (including basanite, nephelinite, tephrite) .....   | 224 |
| III.2.6. Diabase, metadiabase, metadolerite (palaeobasalt, doleritic palaeobasalt) .....                                    | 225 |
| III.2.7. Spilite and spilite volcanoclastic .....   | 226 |
| III.2.8. Teschenite and picrite .....   | 227 |
| III.2.9. Phonolite .....  | 228 |
| III.2.10. Granites, granodiorites, quartz diorites, rhyolites, dacites .....  | 228 |
| References .....  | 228 |
| III.3. Sedimentary rocks .....  | 230 |
| III.3.1. Lower Carboniferous (Culm) siltstone, silty shale and greywacke .....  | 230 |
| III.3.2. Sandstones .....   | 232 |
| III.3.3. Palaeogene claystone (eastern Slovakia) .....  | 232 |
| III.3.4. Limestones (carbonate rocks) .....   | 233 |
| III.3.5. Bituminous siderite claystone (Kounov sapropelite, “švartna” in Czech) .....                                       | 234 |
| III.3.6. Březina shale (southern Moravia) .....   | 235 |
| III.3.7. Iron ores .....  | 235 |
| III.3.8. Other sedimentary rocks .....  | 236 |
| References .....  | 237 |
| IV. RAW MATERIALS OF WRISTGUARDS. ....  | 239 |
| References .....  | 240 |

|   |     |
|---|-----|
| V. RAW MATERIALS OF WHETSTONES .....  | 241 |
| References .....  | 243 |
| VI. RAW MATERIALS OF CRUSHERS, SADDLE QUERNS, ROTARY QUERNS AND MILLSTONES .....  | 245 |
| VI.1. The Neolithic to Hallstatt Period .....   | 246 |
| VI.2. La Tène period .....  | 247 |
| VI.3. Early Middle Ages .....   | 248 |
| VI.4. Biotite granite of the Říčany type and granitoids of the Central Bohemian Pluton .....                                    | 249 |
| VI.5. Biotite granite from the Śleża Mt. (Lower Silesia, southern Poland) .....   | 250 |
| VI.6. Rhyolitic ignimbrite from Žernoseky (Oparno Valley, northern Bohemia) .....   | 251 |
| VI.7. Trachybasalt (tephritic phonolite) from the Kunětická hora Hill near Pardubice, eastern Bohemia ...                       | 252 |
| VI.8. Rhyolites from Central Slovakian Miocene volcanoes.....   | 253 |
| VI.9. Andesites from Central Slovakian Miocene volcanoes .....  | 254 |
| VI.10. Orthoquartzites and conglomerates from Lipoltice (eastern Bohemia) .....   | 254 |
| VI.11. Lower Carboniferous (Culm) greywackes and conglomerates .....  | 254 |
| VI.12. Arkoses and arkosic sandstones of the limnic Permian and Upper Carboniferous.....  | 256 |
| VI.13. Mica schists .....   | 257 |
| VI.13.1. Tourmaline mica schist from Čučice near Oslavany, SW Moravia.....  | 258 |
| VI.13.2. Tourmaline mica schist from Altenhof near Gars am Kamp, Lower Austria.....   | 258 |
| References.....   | 259 |
| VII. RAW MATERIALS OF STONE SPINDLE WHORLS .....  | 263 |
| VII.1. Proterozoic pink slate from Ovruch (Ukraine).....  | 265 |
| VII.2. Cretaceous limestone from Opole (southern Poland) .....  | 266 |
| VII.3. Clay siltstone and silty shale from Uherské Hradiště-Sady (southern Moravia).....  | 266 |
| VII.4. Cretaceous opoka (eastern Bohemia, Lesser Poland).....   | 267 |
| VII.5. Talc schist from Prachatice (south-western Bohemia) .....  | 267 |
| References.....   | 268 |
| VIII. ROCK SALT (HALITE).....   | 269 |
| VIII.1. Miocene rock salt from the vicinity of Prešov (eastern Slovakia) .....  | 270 |
| VIII.2. Miocene rock salt from Marmarosch Solotvino (Akna Slatina, Marmaroska ulohovyna Basin,<br>Transcarpathian Ukraine)..... | 271 |
| VIII.3. Miocene salt from Wieliczka near Kraków (southern Poland) .....   | 271 |
| VIII.4. Permian to Lower Triassic salt from Salzkammergut (Austria) .....   | 271 |
| VIII.5. Permian salt of the Stassfurt – Halle area (eastern Germany) .....  | 274 |
| References.....   | 274 |
| IX. USING OF FOSSILS AND OTHER LITHIC RARITIES IN PREHISTORIC TIMES .....   | 275 |
| References.....   | 280 |
| X. STONE PSEUDO-ARTEFACTS AND FAKES.....  | 281 |
| References.....   | 283 |
| XI. PICTURE SUPPLEMENT .....  | 285 |